



# UNIQUE<sup>®</sup>

APPLIANCES



**OFF-GRID**  
APPLIANCES  
**2023**



VIEW OUR  
PRODUCTS  
ONLINE

**No Power...**  
No Problem<sup>®</sup>



TABLE OF CONTENTS

|                                |    |
|--------------------------------|----|
| About Us                       | 04 |
| Propane Refrigerators          | 06 |
| Propane Freezers               | 10 |
| Propane Ranges                 | 15 |
| Basic Solar Setup              | 21 |
| Solar Powered DC Refrigerators | 22 |
| Solar Powered DC Freezers      | 25 |
| Accessories                    | 27 |

INFO TAGS

These tags will help you quickly identify the basic function of a Unique appliance at a first glance:



PROPANE



BATTERY IGNITION



SOLAR DC (DIRECT CURRENT)



DC BATTERY



## WHO WE ARE

Unique Appliances was founded with a vision over 50 years ago by the Petersen family. Our goal is to bring innovative, quality appliances to wherever you call home by supporting the unique off-grid appliance market. We are proud of how we modernized the off-grid kitchen with battery ignition propane ranges and solar DC appliances, all with beautiful design and quality craftsmanship. And we're equally as proud to be the only off-grid manufacturer to offer matched pairs of propane fridges and ranges in North America.


At Unique Appliances, we are committed to innovation which is why our product line includes refrigerators that directly vent all combustible gases externally. And those that don't feature a smart, fail-safe carbon monoxide safety shut-off valve for extra protection. We also developed the first battery operated ignition system in ranges so there's no need for no standing pilots. This saves you money on fuel and is simply better for our environment – something we really care about.

"The evolution of our line of DC solar powered appliances is a testament to how much we are invested in forwarding off-grid appliance technology," says Steve Petersen, Unique Appliances. "We started our journey with a few refrigerators, and we've grown into an off-grid appliances powerhouse exhibiting an extensive lineup of solar DC appliances. Highly efficient, eco-friendly and stylishly designed, our solar lineup has something for everyone."

We are proud of how everyone at Unique Appliances continues to evolve to bring innovation to the off-grid market to help make sure our valued customers continue to bring joy and happiness to their homes.



**Steve Petersen**  
Executive Chair



**Kurt Petersen**  
Founder

**UNIQUE**<sup>®</sup>  
APPLIANCES



# PROPANE FRIDGES & FREEZERS

LIVING OFF-GRID HAS NEVER BEEN EASIER





19 cu/ft - 515 liters Propane DV Fridge  
UGP-19C W



Unique is the dominant player in the North American propane refrigerator business with an extensive line up of CSA certified refrigerators. With over 50 years of experience, Unique provides “peace of mind”. From the small UGP-3 propane portable fridge to the largest certified propane fridge in the world, the UGP-22, Unique is your “one-stop shop” for all your propane refrigeration needs.

If you’re looking for extended stays at the cottage/cabin, then Unique’s line of larger propane fridges allow just that. Efficient & ergonomically designed to suit all your needs.

### FEATURES

- CSA certified for North America
- Thermostat
- Front mounted controls
- Flame indicator
- Battery operated interior light
- Freezer comes with powder coat finish
- Doors are reversible
- DV: Direct Vent model has “DV” designation & must be located on an outside wall (for “tight” residences with minimal air turnover).
- Only recommended for Canada

*\*All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-22 W

### CRISPER

Crisper drawers help keep your fruits & vegetables at their best for longer periods



UGP-10C B

### CONTROLS

Convenient front mounted controls





| IMAGE                               |   |  |  |
|-------------------------------------|---|--|--|
| MODEL (shown)                       | UGP-22 DV W   | UGP-19C W  | UGP-14C W  |
| COLOR                               | White   | White, Stainless, Black  | White, Black   |
| OPERATION                           | Propane (LPG)   | Dual Power<br>(primary propane -<br>110V backup)   | Dual power (propane<br>(LPG) - 110V backup)  |
| SIZE                                | <b>Total:</b><br>22.1 cu/ft, 625 liters<br><b>Fridge:</b><br>16.2 cu/ft, 458 liters<br><b>Freezer:</b><br>5.9 cu/ft, 167 liters | <b>Total:</b><br>19 cu/ft, 538.02 liters<br><b>Fridge:</b><br>14.1 cu/ft, 400 liters<br><b>Freezer:</b><br>4.9 cu/ft, 139 liters | <b>Total:</b><br>14 cu/ft, 400 liters<br><b>Fridge:</b><br>10.5 cu/ft, 301 liters<br><b>Freezer:</b><br>3.5 cu/ft, 99 liters |
| MIN. CLEARANCES<br>FOR INSTALLATION | (From front) left: 2" /<br>top: 10" /<br>right: 2" / back: 1"   | (From front) left: 2" /<br>top: 10" / right: 2" /<br>back: 1"  | (From front) left: 2" /<br>top: 6" / right: 2" /<br>back: 1"   |
| DIMENSIONS<br>(H x W x D)           | <b>DV:</b> 69.5" x 31.5" x<br>42.75"  | <b>SM/CM:</b> 78.3" x 34.6"<br>x 33"   | <b>SM/CM:</b> 69.3" x 27.2"<br>x 30.7"   |
| GAS CONSUMPTION                     | Approx. 2.0 lbs. LPG in<br>24 hr. period  | Approx. 2.6 lbs /<br>1.2 kg. LPG in 24 hr.<br>period at ambient<br>25°C / 77°F   | Approx. 1.8 lbs. LPG in<br>24 hr. period   |
| BTU                                 | 2270 max., 684 min.   | 1620 max., 710 min.  | 1600 max., 700 min.  |
| AC POWER                            | No  | 110V / 2.5 Amp. / 300<br>Watts   | 110V, 2.5 Amp.,<br>300 Watts   |
| DC POWER                            | No  | No   | No   |
| IGNITION                            | Piezo igniter   | Battery powered  | Battery powered  |
| INTERIOR LIGHT                      | Yes   | Yes  | Yes  |
| SHELVES                             | 3 glass shelves   | 3 glass shelves  | 4 glass shelves  |
| CRISPER                             | 2 crisper drawers   | 2 crisper drawers  | Wire crisper basket  |
| REVERSIBLE DOOR                     | Yes   | Yes  | Yes  |
| WEIGHT                              | <b>DV:</b> 320 lbs / 145 kg   | <b>SM/CM:</b> 265 lbs /<br>120 kg  | <b>SM/CM:</b> 231 lbs /<br>105 kg  |
| CSA Certified                       | Yes   | Yes  | Yes  |
| WARRANTY                            | 1 year parts, 5 year<br>cooling coil, no labor  | 1 year parts, 5 year<br>cooling coil, no labor   | 1 year parts, 5 year<br>cooling coil, no labor   |










# PROPANE REFRIGERATORS

Visit our website for full specs:  
[www.uniqueappliances.com](http://www.uniqueappliances.com)

(Available May 2023)

| IMAGE                            |   |   |   |
|----------------------------------|--|--|--|
|                                  |   |   |  |
| MODEL (shown)                    | UGP-14C CR W   | UGP-10C CR LG  | UGP-10C S/S  |
| COLOR                            | White  | Light Green  | White, black, stainless  |
| OPERATION                        | Dual power (propane (LPG) - 110V backup)   | Dual power (propane (LPG) - 110V backup)   | Dual power (propane (LPG) - 110V backup)   |
| SIZE                             | <b>Total:</b><br>14 cu/ft, 400 liters<br><b>Fridge:</b><br>10.5 cu/ft, 301 liters<br><b>Freezer:</b><br>3.5 cu/ft, 99 liters | <b>Total:</b><br>9.7 cu/ft, 275 liters<br><b>Fridge:</b><br>7.6 cu/ft, 215 liters<br><b>Freezer:</b><br>2.1 cu/ft, 60 liters | <b>Total:</b><br>9.7 cu/ft, 275 liters<br><b>Fridge:</b><br>7.6 cu/ft, 215 liters<br><b>Freezer:</b><br>2.1 cu/ft, 60 liters |
| MIN. CLEARANCES FOR INSTALLATION | (From front) left: 2" / top: 6" / right: 2" / back: 1"   | (From front) left: 2" / top: 6" / right: 2" / back: 1"   | (From front) left: 2" / top: 6" / right: 2" / back: 1"   |
| DIMENSIONS (H x W x D)           | <b>SM/CM:</b> 69.3" x 27.2" x 30.7"  | <b>SM/CM:</b> 64.5" x 23.5" x 28.25"   | <b>SM/CM:</b> 64.5" x 23.5" x 28.25"<br><b>DV:</b> 65.5" x 23.75" x 33.25"   |
| GAS CONSUMPTION                  | Approx. 1.8 lbs. LPG in 24 hr. period  | Approx. 1.4 lbs. LPG in 24 hr. period  | Approx. 1.4 lbs. LPG in 24 hr. period  |
| BTU                              | 1600 max., 700 min.  | 1600 max., 600 min.  | 1600 max., 600 min.  |
| AC POWER                         | 110V, 2.5 Amp., 300 Watts  | 110V, 2.5 Amp., 300 Watts  | 110V, 2.5 Amp., 300 Watts  |
| DC POWER                         | No   | No   | No   |
| IGNITION                         | Battery powered  | Battery powered  | Battery powered  |
| INTERIOR LIGHT                   | Yes  | Yes  | Yes  |
| SHELVES                          | 4 glass shelves  | 4 glass shelves  | 4 glass shelves  |
| CRISPER                          | Wire crisper basket  | Wire crisper basket  | 1 large crisper drawer   |
| REVERSIBLE DOOR                  | Yes  | Yes  | Yes  |
| WEIGHT                           | <b>SM/CM:</b> 231 lbs / 105 kg   | <b>SM/CM:</b> 176 lbs / 80 kg  | <b>SM/CM:</b> 176 lbs / 80 kg<br><b>DV:</b> 196 lbs / 89 kg  |
| CSA Certified                    | Yes  | Yes  | Yes  |
| WARRANTY                         | 1 year parts, 5 year cooling coil, no labor  | 1 year parts, 3 year cooling coil, no labor  | 1 year parts, 3 year cooling coil, no labor  |





| IMAGE                            |  |  |  |
|----------------------------------|--|--|--|
| MODEL (shown)                    | UGP-8C B   | UGP-6C W   | UGP-3 W  |
| COLOR                            | White, black   | White  | White, black   |
| OPERATION                        | Dual power (propane (LPG) - 110V backup)   | Dual power (Propane (LPG) - 110V backup)   | Propane (LPG) - (110V / 12V backup)  |
| SIZE                             | <b>Total:</b><br>8.0 cu/ft, 227 liters<br><b>Fridge:</b><br>6.3 cu/ft, 179 liters<br><b>Freezer:</b><br>1.7 cu/ft, 48 liters | <b>Total:</b><br>6.4 cu/ft, 181 liters<br><b>Fridge:</b><br>4.9 cu/ft, 139 liters<br><b>Freezer:</b><br>1.5 cu/ft, 42 liters | <b>Total:</b><br>3.4 cu/ft, 96 liters<br><b>Fridge:</b><br>3.0 cu/ft, 85 liters<br><b>Freezer:</b><br>0.4 cu/ft, 11 liters |
| MIN. CLEARANCES FOR INSTALLATION | (From front) left: 2" / top: 6" / right: 2" / back: 1"   | (From front) left: 2" / top: 6" / right: 2" / back: 1"   | (From front) left: 1" / top: 4" / right: 1" / back: 1"   |
| DIMENSIONS (H x W x D)           | <b>SM/CM:</b><br>64.5" x 23.5" x 25.25"<br><b>DV:</b> 65.5" x 23.75" x 29.25"  | <b>SM/CM:</b> 57.75" x 23.75" x 25.25"<br><b>DV:</b> 58.75" x 23.75" x 29.75"  | <b>SM:</b> 32.25" x 21.25" x 25"   |
| GAS CONSUMPTION                  | Approx. 1.1 lbs. LPG in 24 hr. period  | Approx. 1.1 lbs. LPG in 24 hr. period  | Approx. 0.7 lbs. LPG in 24 hr. period  |
| BTU                              | 1600 max., 600 min.  | 1400 max., 600 min.  | 850 max., 525 min.   |
| AC POWER                         | 110V, 2.5 Amp., 300 Watts  | 110V, 2.5 Amp., 300 Watts  | 110V, 1.45 Amp., 150 Watts   |
| DC POWER                         | No   | No   | 12V, 13.3 Amp., 150 Watts  |
| IGNITION                         | Battery powered  | Battery powered  | Battery powered  |
| INTERIOR LIGHT                   | Yes  | Yes  | No   |
| SHELVES                          | 4 glass shelves  | 3 glass shelves  | 3 wire shelves   |
| CRISPER                          | 1 large crisper drawer   | 1 large crisper drawer   | 1 crisper  |
| REVERSIBLE DOOR                  | Yes  | Yes  | Yes  |
| WEIGHT                           | <b>SM/CM:</b> 172 lbs / 78 kg<br><b>DV:</b> 192 lbs / 87 kg  | <b>SM/CM:</b> 152 lbs / 69 kg<br><b>DV:</b> 165 lbs / 75 kg  | <b>SM:</b> 80 lbs / 36.5 kg  |
| CSA Certified                    | Yes  | Yes  | Yes  |

*\* For outdoor use only*





6.0 cu/ft (169 liters)  
propane freezer - UGP-6F



2.2 cu/ft (61 liters)  
propane freezer - UGP-2

If you're looking for extended stays at the cottage/cabin, then the UGF-6F is the perfect size (6.0 cu/ft) for off-grid living. Its chest style design makes for practical storage of food for longer periods of time.

The Unique 2 provides full versatility (3 way functionality) and at 2.2 cu/ft it's the perfect model for extra freezer capacity at the cabin/cottage (certified under the portable gas-fired camping refrigerator standard).

**FEATURES**

- Thermostat
- Battery operated ignition
- Flame indicator
- Built-in level indicator, unit must be level while operating (Model: UGP-2)



*\*All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-6F

**STORAGE**  
Multiple baskets for convenient storage.




UGP-6F

**CONTROLS**  
Convenient front-mounted controls





| IMAGE   |   |   |
|---|---|---|
|  |   |   |
| MODEL (shown)   | UGP-6F W  | UGP-2   |
| COLOR   | White   | Grey  |
| SIZE  | <b>Total:</b> 6.0 cu/ft, 169 liters                     | <b>Total:</b> 2.2 cu/ft, 61 liters                      |
| OPERATION   | Propane (LPG) / 110V (dual power)                       | Propane (LPG) - backup 110V / 12V                       |
| MIN. CLEARANCES FOR INSTALLATION  | (From front) left: 2" / top: 27" / right: 2" / back: 4" | (From front) left: 2" / top: 16" / right: 2" / back: 4" |
| DIMENSIONS (H x W x D)  | <b>SM/CM:</b> 33" x 40.5" x 29"                         | <b>SM:</b> 26.5" x 25.75" x 20"                         |
| GAS CONSUMPTION   | Approx. 1.8 lbs. LPG in 24 hr. period                   | Approx. 0.7 lbs. LPG in 24 hr. period                   |
| BTU   | 1800 max., 1200 min.                                    | 1000 max., 500 min.                                     |
| AC POWER  | 110V, 2.5 Amp., 300 Watts                               | 110V, 1.45 Amp., 160 Watts                              |
| DC POWER  | No  | 12V, 13.3 Amp., 160 Watts                               |
| WEIGHT  | 165 lbs / 75 kg   | 82 lbs / 37 kg  |

*\*All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-2



UGP-2

**CONNECTORS**

The UGP-2 comes with all connectors - 110V, gas hose & regulators & 12V adaptor

**CONTROLS**

Side mounted controls



## UNIQUE'S PATENTED DIRECT VENTING SYSTEM (‘DV’ MODEL)

### Not A Kit - Easy to Install!

#### INSULATED

Exhaust insulated to reduce condensate

#### EASE OF ASSEMBLY


To save you time, Unique's factory-built system takes under 30 minutes to assemble

#### SAFETY FIRST

Unique leads the way through:

- Innovation
- Safety
- Product awareness

\* Unique first to develop free-standing direct vent propane refrigerators in 1991



#### INTEGRAL SYSTEM

Factory pre-built - only required to attach horizontal vent extensions through outside wall

#### SERVICEABILITY

Burner box designed to servicing easier!

**DV MODELS MUST BE LOCATED ON AN OUTSIDE/EXTERIOR WALL**

Visit our **You Tube** page for the Do's & Don'ts when installing your Unique DV system



UNIQUE'S FIFTH GENERATION PROPANE FRIDGE  
CARBON MONOXIDE ALARM WITH SAFETY SHUT-OFF  
(BATTERY POWERED)

 ONLY AVAILABLE IN CANADA



Propane fridge carbon monoxide  
alarm with safety shut-off  
- UGP-9RV-SSO-C

FEATURES

- Designed and CSA approved to Z21.19 items unique to Canada for use with Unique propane refrigerators
- 7 year life span lithium iron disulfide battery included - no more annual replacement of 9V batteries
- Adhesive Velcro mounting strips for easy mounting
- Self-diagnostics determine end of life
- Alarm point 10% COOHb

WHAT'S INCLUDED

|                                 |               |
|---------------------------------|---------------|
| MODEL (shown)                   | UGP-9RV-SSO-C |
| INTERRUPTER BLOCK               | Yes           |
| CO ALARMING DEVICE              | Yes           |
| ADHESIVE VELCRO MOUNTING STRIPS | x 4           |
| WALL MOUNTING BRACKET           | Yes           |
| OWNERS MANUAL                   | Yes           |

*\*All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-9RV-SSO-C

INCLUDED

All items shown above come with your unit



UGP-9RV-SSO-C

SETUP

Place on your Unique appliance  
for optimal results







# PROPANE RANGES

OFF-GRID COOKING NEVER LOOKED THIS GOOD



## Classic Retro by Unique Battery Ignition Propane Range

Classic  
(A. UNIQUE)



Classic Retro by Unique 30"  
Propane Range UGP-30CR OF1 W

The 30" Classic Retro by Unique battery ignition propane range transports you back in time with its timeless retro design and chrome finished accents.

Continuous cast-iron grates and sealed burners make cooking and cleanup effortless, and the off-grid battery ignition system means no more hunting for matches.

Match up with a Classic Retro by Unique propane or solar DC fridge to transform any kitchen.

### FEATURES

- Zinc cast handles
- Continuous cast iron grate design
- Sealed cast burners
- Battery operated ignition
- Two adjustable heavy duty oven racks with four shelf positions
- 3.9 cu/ft oven capacity
- Variable BTUs cook-top includes a 10,000 BTU power burner

### COLORS:



white



*\*All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-30CR OF1 W

### KNOBS

Pro-style knobs with easy to view settings



UGP-30CR OF1 W

### IGNITION

Battery operated ignition system  
(D-cell battery required for operation)



# PROPANE RANGES

Visit our website for full specs:  
[www.uniqueappliances.com](http://www.uniqueappliances.com)



| IMAGE                   |   |   |  |
|-------------------------|---|---|--|
| MODEL (shown)           | UGP-30CR OF1 W  | UGP-30CR OF2 LG   | UGP-24CR OF1 W   |
| COLOR                   | White   | Light Green   | White  |
| OPERATION               | Set for propane (LPG) - A natural gas (NG) conversion kit is included   | Set for propane (LPG) - A natural gas (NG) conversion kit is included   | Set for propane (LPG) - A natural gas (NG) conversion kit is included  |
| BOTTOM BROILER          | Yes   | Yes   | Yes  |
| WEIGHT                  | 168.9 lbs / 76.6 kg   | 168.9 lbs / 76.6 kg   | 156.5 lbs / 71 kg  |
| DIMENSIONS (H x W x D)  | <b>Overall:</b><br>41.5" x 30" x 27.5"<br><b>Oven:</b> (3.9 cu/ft)<br>13.7" x 24.25" x 20.1"<br><b>Broil area:</b><br>24" W x 22.5" D | <b>Overall:</b><br>41.5" x 30" x 27.5"<br><b>Oven:</b> (3.9 cu/ft)<br>13.7" x 24.25" x 20.1"<br><b>Broil area:</b><br>24" W x 22.5" D | <b>Overall:</b><br>41.5" x 24" x 27.5"<br><b>Oven:</b> (2.3 cu/ft)<br>13.7" x 18.5" x 20"<br><b>Broil area:</b><br>24" W x 22.5" D |
| BURNERS                 | 4   | 4   | 4  |
| BTU: cooktop (NG & LPG) | <b>Front right:</b> 10,000<br><b>Front left:</b> 9,000<br><b>Rear right:</b> 3,000<br><b>Rear left:</b> 9,000                         | <b>Front right:</b> 14,000<br><b>Front left:</b> 9,000<br><b>Rear right:</b> 3,200<br><b>Rear left:</b> 9,000                         | <b>Front right:</b> 13,000<br><b>Front left:</b> 10,000<br><b>Rear right:</b> 3,200<br><b>Rear left:</b> 10,000                    |
| WARRANTY                | 1 year parts, no labor  | 1 year parts, no labor  | 1 year parts, no labor   |

*\*All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-30CR OF1 W

**BROILER**  
Bottom broiler for quick & uniform searing



UGP-30CR OF1 W

**BURNERS**  
Sealed cast burners for easy cleanup





## OFF-GRID BY UNIQUE PROPANE RANGES (BATTERY IGNITION)



Classic 30" Propane Range  
UGP-30G OF2 SS

### COLORS:



Stainless Steel



The Unique line of off-grid ranges delivers modern design and performance at an affordable price. Cast-iron grates and sealed, variable BTU burners make cooking and cleanup effortless, and the battery ignition system means no more hunting for matches.

Unique brings the quality you deserve to wherever you call home!

### FEATURES

- Sleek modern design
- Continuous cast iron grate design
- Sealed cast burners for easy cleanup
- Variable BTUs to allow you to cook how you want
- Heavy duty handles
- Oven window
- Battery operated ignition system (1 x D-cell battery required for operation)

*\*All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-30G OF2 SS

### KNOBS

Modern ergonomically designed for cooktop & oven



UGP-30G OF2 SS

### IGNITION

Battery operated ignition system (1 x D-cell battery required for operation)



# PROPANE RANGES

Visit our website for full specs:  
[www.uniqueappliances.com](http://www.uniqueappliances.com)



| IMAGE                   |   |   |
|-------------------------|---|---|
| MODEL (shown)           | UGP-30G OF2 SS  | UGP-30G OF1 W   |
| COLOR                   | Stainless Steel   | White, black  |
| OPERATION               | Set for propane (LPG) - A natural gas (NG) conversion kit is included   | Set for propane (LPG) - A natural gas (NG) conversion kit is included   |
| DIMENSIONS (H x W x D)  | <b>Overall:</b><br>41.5" x 30" x 27.5"<br><b>Oven:</b> (3.9 cu/ft)<br>13.7" x 24.25" x 20.1"<br><b>Broil area:</b><br>24" W x 22.5" D | <b>Overall:</b><br>39.4" x 30" x 29.5"<br><b>Oven:</b> (3.9 cu/ft)<br>13.7" x 24.25" x 20.1"<br><b>Broil area:</b><br>24" W x 22.5" D |
| BURNERS                 | 4   | 4   |
| BTU: cooktop (LPG & NG) | <b>Front right:</b> 13,000<br><b>Front left:</b> 9,000<br><b>Rear right:</b> 3,000<br><b>Rear left:</b> 9,000                         | <b>Front right:</b> 10,000<br><b>Front left:</b> 9,000<br><b>Rear right:</b> 3,000<br><b>Rear left:</b> 9,000                         |
| BOTTOM BROILER          | Yes   | Yes   |
| WEIGHT                  | 168.9 lbs / 76.6 kg   | 162 lbs / 73.5 kg   |
| WARRANTY                | 1 year parts, no labor  | 1 year parts, no labor  |

*\*All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-30G OF2 SS



UGP-30G OF2 SS

## DESIGN

Sleek modern design with all the features one would expect in a conventional gas range

## LARGE DUAL BURNER

13,000 BTU power burner





| IMAGE                   |  |  |
|-------------------------|--|--|
| MODEL (shown)           | UGP-24G OF1 B  | UGP-20G OF1 W  |
| COLOR                   | White, black   | White, black   |
| OPERATION               | Set for propane (LPG) - A natural gas (NG) conversion kit is included  | Set for propane (LPG) - A natural gas (NG) conversion kit is included  |
| DIMENSIONS (H x W x D)  | <b>Overall:</b><br>39.4" x 24" x 29.5"<br><b>Oven:</b> (3.1 cu/ft)<br>13.7" x 18.7" x 20.1"<br><b>Broil area:</b><br>18.5" W x 20.9" D | <b>Overall:</b><br>39.4" x 20" x 29.5"<br><b>Oven:</b> (2.4 cu/ft)<br>13.7" x 14.7" x 20.1"<br><b>Broil area:</b><br>14.5" W x 20.9" D |
| BURNERS                 | 4  | 4  |
| BTU: cooktop (LPG & NG) | <b>Front right:</b> 11,000<br><b>Front left:</b> 10,000<br><b>Rear right:</b> 3,000<br><b>Rear left:</b> 10,000                        | <b>Front right:</b> 9,000<br><b>Front left:</b> 7,000<br><b>Rear right:</b> 3,000<br><b>Rear left:</b> 9,000                           |
| BOTTOM BROILER          | Yes  | Yes  |
| WEIGHT                  | 143 lbs / 65 kg  | 128 lbs / 58 kg  |
| WARRANTY                | 1 year parts, no labor   | 1 year parts, no labor   |

*\*All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-30G OF1 W



UGP-30G OF1 B

**DESIGN**  
Sleek modern design paired with all the features one would expect in a conventional gas range

**BURNERS**  
Sealed cast burners for easy cleanup



# SOLAR DC FRIDGES & FREEZERS

THE NEXT GENERATION OF  
DIRECT CURRENT COOLING




## BASIC SETUP FOR USING A DIRECT CURRENT (DC) UNIQUE SOLAR APPLIANCES

Below is an illustration of a basic solar setup using the Unique 13 cu/ft solar DC fridge (UGP-370L W).

### SOLAR PANEL

Minimum 240 Watt solar panel

\*Solar panel not included



**UNIQUE SOLAR DC  
FRIDGE 12/24V  
UGP-370L W**

### BATTERIES

6V battery x 2 **OR** 12V battery x 1

\*Batteries not included

### IMPORTANT

Each application is different, consult a solar installer for specifics on your setup.





## UNIQUE SOLAR POWERED DC REFRIGERATORS



13 cu/ft (370 liters)  
Solar Refrigerator - UGP-370L W

Energy efficient appliances are essential to living the “off-grid” lifestyle, and now with Unique’s line-up of solar DC appliances you can harness the power of the sun and wind.

The Unique line of solar DC powered refrigerators are designed for optimal energy savings and easy, dependable use. They boast a compact DC cooling system, have efficient insulation throughout and simple effortless controls. With spacious interiors, shelves & crispers these fridges are perfect for your family’s needs.

### FEATURES

- Efficient construction throughout
- Features an inline fuse for protection
- Thermostat
- Adjustable shelves
- Crisper drawers
- Interior LED light
- Operational error code warning system
- DC compressor (2 year warranty)



*\*All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-370L W

### STORAGE

Multiple adjustable shelves for easy & convenient food organization & storage







UGP-370L W





### CRISPER

Crisper drawers help keep your fruits & vegetables at their best for longer periods



| IMAGE                                 |  |  |  |
|---------------------------------------|---|---|---|
|                                       |  |   |   |
| MODEL (shown)                         | UGP-385L CR W   | UGP-370L B  | UGP-290L S/S  |
| COLOR                                 | White   | White, black  | White, black, stainless   |
| OPERATION                             | 12V/24V   | 12V/24V   | 12V/24V   |
| TOTAL SIZE                            | 13.6 cu/ft, 385 liters  | 13.0 cu/ft, 370 liters  | 10.3 cu/ft, 290 liters  |
| DIMENSIONS (H x W x D)                | 66.1" x 27.2" x 27.5"   | 66.9" x 23.8" x 24.5"   | 61" x 24" x 27"   |
| TOTAL WATT HR. STABLE RUNNING (24 DC) | 645 Wh/ 24 hrs (set to -14°C freezer/+4°C fridge performance in a +25°C ambient)  | 587 Wh/ 24 hrs (set to 7°F freezer/39°F fridge performance in a 77°F ambient)     | 524 Wh/ 24 hrs (set to 7°F freezer/39°F fridge performance in a 77°F ambient)     |
| TOTAL AMP HR. STABLE RUNNING (24 DC)  | 26.4 Ah/ 24 hrs (set to -14°C freezer/+4°C fridge performance in a +25°C ambient) | 24 Ah/ 24 hrs (set to 7°F freezer/39°F fridge performance in a 77°F ambient)      | 24 Ah/ 24 hrs (set to 7°F freezer/39°F fridge performance in a 77°F ambient)      |
| POWER CONSUMPTION                     | 68.2 W on 12V/24V   | 62 W on 12V/24V   | 56 W on 12V   |
| MIN. SOLAR PANEL REQUIREMENTS         | 240 W   | 240 W   | 240 W   |
| AVG. RUN CURRENT                      | 5.7A on 12V<br>2.8A on 24V  | 5.2A on 12V<br>2.6A on 24V  | 4.5A on 12V   |
| FRIDGE TEMP. RANGE                    | 0°C to +46°F  | 27°F to 50°F  | 28°F to 50°F  |
| FREEZER TEMP. RANGE                   | Up to 10°F  | 5°F to 43°F   | -13°F to 68°F   |
| SHELVES                               | 4 glass shelves   | 4 glass shelves   | 4 glass shelves   |
| CRISPER                               | Wire crisper basket   | 2 crisper drawers   | 1 crisper drawer  |
| ERROR CODE WARNING SYSTEM             | Yes   | Yes   | Yes   |
| REVERSIBLE DOOR                       | Yes   | Yes   | Yes   |
| FROST FREE                            | Yes   | No  | No  |
| AC CONVERTOR                          | Sold separately   | Sold separately   | Sold separately*<br>*on models manufactured in 2021                               |
| ELECTRICAL WIRE                       | 8 ft cut wire end included  | 8 ft cut wire end included  | 3.5 ft cut wire end included  |
| WEIGHT                                | 133 lbs / 60.5 kg   | 133 lbs / 60.5 kg   | 137 lbs / 62 kg   |
| WARRANTY                              | 1 year parts, 2 year compressor, no labor   | 1 year parts, 2 year compressor, no labor   | 1 year parts, 2 year compressor, no labor   |



| IMAGE                                       |        |       |        |
|---|---|--|---|
|   |        |  |   |
| MODEL (shown)                               | UGP-275L W  | UGP-260L W   | UGP-170L W  |
| COLOR                                       | White, Light Green  | White,   | White   |
| OPERATION                                   | 12V/24V   | 12V/24V  | 12V/24V   |
| TOTAL SIZE                                  | 10 cu/ft, 275 liters  | 9.0 cu/ft, 260 liters  | <b>Total:</b><br>6.0 cu/ft, 170 liters  |
| DIMENSIONS<br>(H x W x D)                   | 71.2" x 21.6" x 24.2"   | 64" x 21.4" x 22.4"  | 50.5" x 19.2" x 22.8"   |
| TOTAL WATT HR.<br>STABLE RUNNING<br>(24 DC) | 584 Wh/ 24 hrs (set<br>to 7°F freezer/39°F<br>fridge performance in<br>a 77°F ambient)  | 572 Wh/ 24 hrs (set<br>to 7°F freezer/39°F<br>fridge performance in<br>a 77°F ambient) | 520 Wh/ 24 hrs (set<br>to 7°F freezer/39°F<br>fridge performance in<br>a 77°F ambient)  |
| TOTAL AMP HR.<br>STABLE RUNNING<br>(24 DC)  | 21.5 Ah/ 24 hrs (set<br>to 7°F freezer/39°F<br>fridge performance in<br>a 77°F ambient) | 24 Ah/ 24 hrs (set<br>to 7°F freezer/39°F<br>fridge performance in<br>a 77°F ambient)  | 19.8 Ah/ 24 hrs (set<br>to 7°F freezer/39°F<br>fridge performance in<br>a 77°F ambient) |
| POWER<br>CONSUMPTION                        | 63 W on 12V/24V   | 56 W on 12V/24V  | 52 W on 12V/24V   |
| MIN. SOLAR PANEL<br>REQUIREMENTS            | 240 W   | 240 W  | 240 W   |
| AVG. RUN<br>CURRENT                         | 5.25A on 12V<br>2.62A on 24V  | 4.5A on 12V<br>2.5A on 24V   | 4.3A on 12V<br>2.2A on 24V  |
| FRIDGE TEMP.<br>RANGE                       | 25°F to 50°F  | 25°F to 50°F   | 25°F to 50°F  |
| FREEZER TEMP.<br>RANGE                      | -1°F to 50°F  | 5°F to 21°F  | 5°F to 21°F   |
| SHELVES                                     | 4 glass shelves   | 4 glass shelves  | 4 glass shelves   |
| CRISPER                                     | 1 crisper drawer  | 1 crisper drawer   | 1 crisper drawer  |
| ERROR CODE<br>WARNING SYSTEM                | Yes   | Yes  | Yes   |
| REVERSIBLE DOOR                             | No  | Yes  | Yes   |
| FROST FREE                                  | No  | No   | No  |
| AC CONVERTOR                                | Sold separately   | Sold separately  | Sold separately   |
| ELECTRICAL WIRE                             | 8 ft cut wire end<br>included   | 8 ft cut wire end<br>included  | 8 ft cut wire end<br>included   |
| WEIGHT                                      | 119 lbs / 54 kg   | 93 lbs / 42 kg   | 76 lbs / 34.5 kg  |
| WARRANTY                                    | 1 year parts, 2 year<br>compressor, no labor  | 1 year parts, 2 year<br>compressor, no labor   | 1 year parts, 2 year<br>compressor, no labor  |



## UNIQUE SOLAR POWERED DC FREEZERS



9.3cu/ft (265 liters)  
Solar Chest Freezer - UGP-265L



6.1 cu/ft (175 liters)  
Solar DC Upright All  
Freezer - UGP-175L UF R



Energy efficient appliances are essential to living the “off-grid” lifestyle, and now with Unique’s collection of solar DC freezers you can harness the power of the sun and wind.

The Unique solar DC powered freezers are designed for optimal energy savings and easy, dependable use. They boast a reliable compact DC cooling system, efficient insulation throughout, convenient storage baskets and simple effortless controls. Perfect for longer stays at the cottage/cabin or camp.

### FEATURES

- Efficient construction throughout
- Features an in-line fuse for protection
- Thermostat
- DC compressor (2 year warranty)
- 12V or 24V DC with low voltage disconnect battery protection
- Durable exterior construction
- Easy to clean interior with bottom drain

*\*All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-265L

### GLASS SLIDERS & STORAGE

Glass sliders for added temperature retention & adjustable baskets for convenient storage



UGP-265L

### CONTROLS

Front mounted controls





| IMAGE                                       |  |   |
|---|--|---|
| MODEL (shown)                               | UGP-265L W   | UGP-175L UF W<br><b>Upright all freezer</b>           |
| COLOR                                       | White  | White   |
| OPERATION                                   | 12V/24V  | 12V/24V   |
| SIZE  | <b>Total:</b> 9.3 cu/ft, 265 liters                    | <b>Total:</b> 6.1 cu/ft, 175 liters                   |
| DIMENSIONS<br>(H x W x D)                   | 33.5" x 45.7" x 26.2"                                  | 56.6" x 21" x 24"                                     |
| TOTAL WATT HR.<br>STABLE RUNNING<br>(24 DC) | 627 Wh/ 24 hrs (3°F performance<br>in a 77°F ambient)  | 532 Wh/ 24 hrs (3°F performance<br>in a 77°F ambient) |
| TOTAL AMP HR.<br>STABLE RUNNING<br>(24 DC)  | 22.7 Ah/ 24 hrs (3°F performance<br>in a 77°F ambient) | 17 Ah/ 24 hrs (3°F performance in<br>a 77°F ambient)  |
| POWER<br>CONSUMPTION                        | 69 W on 12V/24V  | 58.8 W on 12V/24V                                     |
| MIN. SOLAR PANEL<br>REQUIREMENTS            | 240 W  | 240 W   |
| AVG. RUN<br>CURRENT                         | 5.75A on 12V<br>2.88A on 24V                           | 4.9A on 12V<br>2.5A on 24V                            |
| FREEZER TEMP.<br>RANGE                      | -1°F to 14°F   | -9°F to 21°F  |
| BASKET                                      | 2 wire baskets   | 6 drawers   |
| GLASS LID                                   | Yes  | No  |
| FRONT CONTROLS                              | Yes  | Yes   |
| ERROR CODE<br>WARNING SYSTEM                | Yes  | Yes   |
| AC CONVERTOR                                | Sold separately  | Sold separately                                       |
| ELECTRICAL WIRE                             | 8 ft cut wire end included                             | 8 ft cut wire end included                            |
| WEIGHT                                      | 119 lbs / 54 kg  | 102.5 lbs / 46.5 kg                                   |
| WARRANTY                                    | 1 year parts, 2 year compressor,<br>no labor           | 1 year parts, 2 year compressor,<br>no labor          |







Mini Pot Holder  
- UGP-MPH AC

**FEATURES**

- Heavy-duty cast-iron construction for optional heat retention and even heat distribution

For use with the following models:

|             |              |
|-------------|--------------|
| UGP-20G OF1 | UGP-24G OF1  |
| UGP-30G OF1 | UGP-30CR OF1 |



Unique AC Converter  
- UGP-BCD260JS-24V5A

**UNIQUE AC CONVERTOR**

**FEATURES**

- Unique's AC/DC convertor is designed to convert your power from DC to AC if needed.

For use with the following models:

|               |             |
|---------------|-------------|
|               | UGP-170L    |
| UGP-260L      | UGP-370L    |
| UGP-175L UF R | UGP-275L W  |
| UGP-265L      | UGP-385L CR |
| UGP-290       |             |

# CONTACT US

Toll-free: 1-877-427-2266

Tel: 905-827-6154

Fax: 905-827-2027

Email: [info@uniqueappliances.com](mailto:info@uniqueappliances.com)



Head Office

2245 Wyecroft Road, Oakville,  
Ontario, Canada L6L 5L7

U.S.A Warehouse  
Tonawanda, NY

Canada Warehouse  
Toronto, ON

[www.uniqueappliances.com](http://www.uniqueappliances.com)

